FEZ

WOW

WOW

unexpected surfaces

FEZ

01.
INTRO *pag. 3*

02.
SIZES, COLOURS AND FINISHES /
FORMATOS, COLORES Y ACABADOS *pag. 4*

03.
RECOMMENDATIONS /
RECOMENDACIONES *pag. 34*

04.
TECHNICAL FEATURES /
CARACTERÍSTICAS TÉCNICAS *pag. 35*

05.
TECHNICAL DRAWINGS /
DIBUJOS TÉCNICOS *pag. 36*

06.
PACKING *pag. 37*

07.
PRICE CODE /
CÓDIGO DE TARIFA *pag. 38*

Curtsey to the Imperial Moroccan city of **Fez** and its worldwide famous craft skills, considered as an alive cultural treasure.

Designed with a traditional approach, that combines beauty and practicality, they are suitable for any neat environment.

How to choose between the range of suggestive colours? glossy translucent finishes, soft mats, metallics in steel and copper sized 6.2x12,5cm (2.5”x5”)
Twenty delightful alternatives full of life.

New contours into a perfect balance.

-

*Inspirada en **Fez** y su famosa artesanía, esta ciudad imperial marroquí está considerada un tesoro cultural vivo.*

Diseñada con un enfoque tradicional, que combina belleza y practicidad, esta colección es adecuada para cualquier espacio de tu hogar.

¿Cómo decidirse ante una gama de colores tan sugerentes? Acabados brillantes y ligeramente translúcidos, sedosos mates, metálicos en acero y cobre... Todo ello en formato 6.2x12,5cm (2.5”x5”)
Veinte deliciosas alternativas llenas de vida.

FEZ*
2.5"x5" / 6,2x12,5 cm
W21

Mint Gloss
Mint Matt
Emerald Gloss
Emerald Matt
Aqua Gloss
Aqua Matt
Ocean Gloss
Ocean Matt
Mustard Gloss
Mustard Matt
White Gloss
White Matt
Warm Gloss
Warm Matt
Grey Gloss
Grey Matt
Graphite Gloss
Graphite Matt

FEZ STEEL & COPPER
2.5"x5" / 6,2x12,5 cm
W36

Copper Gloss
Steel Gloss

ROUNDED EDGE FEZ
0.43"x5" / 1,1x12,5 cm
WS3

Available in all colours.
Disponible en todos los colores.

*Different colour shades randomly mixed within the box.
*Diferentes tonalidades encajadas aleatoriamente.

Mint Gloss

Fez Emerald Matt

Floor tiles:
Concrete Crayon Light Grey
by Love Affairs Collection

Fez Emerald Gloss

Floor tiles:
Cottage Grey by Cottage Collection

Fez Aqua Matt

Floor tiles:
Hexa Cottage White by Cottage Collection

Aqua Gloss

Fez Ocean Gloss

Floor tiles
Cottage White by Cottage Collection

Fez Ocean Matt

Floor tiles
Hexa Cottage Grey by Cottage Collection

Mustard Matt
White Gloss

Mustard Gloss

White Gloss & Matt

White Gloss

Fez White Matt

Floor tiles:
Hexa Cottage Cotto by Cottage Collection

Warm Gloss

Warm Matt

Fez Grey Gloss

Floor tiles
Hexa Cottage Graphite by Cottage Collection

Grey Gloss & Matt

Fez Grey Gloss
Rounded Edge Fez Grey Gloss

Graphite Gloss

Fez Graphite Matt

Floor tiles
Hexa Cottage White & Grey
by Cottage Collection

Steel Gloss



Fez Steel Gloss

Floor tiles: **Calacatta Strip**
by Love Affairs Collection

Fez Copper Gloss

Floor tiles: **Aura Strip**
by Love Affairs Collection

Copper Gloss

ALMACENAMIENTO
Para garantizar las características de su acabado, el producto debe mantenerse en su embalaje original hasta el momento de la colocación. Si el producto va a permanecer almacenado durante un largo periodo es conveniente hacerlo bajo cubierta.

COLOCACIÓN
Para garantizar una buena adhesión al soporte es necesaria la utilización de materiales de agarre y de rejuntado adecuados al ambiente al que vayan a estar sometidos. La colocación con morteros tradicionales no garantiza una buena adhesión.

Debido a la naturaleza del material pueden existir diferencias dimensionales entre piezas. Por ello deberán planificarse y ejecutarse correctamente todo tipo de juntas: estructurales, perimetrales, de dilatación y de colocación. La colocación sin juntas es desaconsejable desde cualquier punto de vista técnico, pudiendo ser el origen de diversas patologías. Para un resultado óptimo, recomendamos usar 1 mm de junta.

MANTENIMIENTO Y LIMPIEZA
Finalizada la puesta en obra se recomienda eliminar los restos de materiales de agarre y rejuntado con un desincrustante comercial diseñado expresamente para baldosas cerámicas, rebajado con agua, permaneciendo en contacto con la superficie a limpiar no más de 5 minutos.

Como norma general no deben utilizarse detergentes en polvo ni estropajos metálicos o abrasivos. Generalmente será suficiente con una esponja, agua tibia y un jabón líquido neutro. Posteriormente aclarar con abundante agua limpia.

ALTA VARIACIÓN CROMÁTICA
La colección Fez ha sido diseñada con una alta variación de tono entre piezas. Es importante verificar el producto antes de su instalación puesto que ninguna reclamación será aceptada una vez instalado.

WAREHOUSING
In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

TILE FIXING
To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

Due to the nature of the material there may be dimensional variations between pieces. Therefore , all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems. For an optimal result, we advise to use 1 mm (0.04").

MAINTENANCE AND CLEANING
Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water . The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes.

As a general guideline, powder dertergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.

STRONG CHROMATIC VARIATION
Fez Collection has been designed with a strong chromatic variation between pieces. Prior to any installation, range of tiles should be checked by the client. No claims will be accepted after installation.

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%)
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
Dimensional Features	62 mm +/- 0,75 mm x 125 mm +/- 0,75 mm	UNE-EN ISO 10545-2:1998
Water absorption	E_b>10%	UNE-EN ISO 10545-3:1997
Modulus of rupture and breaking strength	Thickness ≥ 7,5 mm mínimo 12 N/mm² Thickness < 7,5 mm mínimo 15 N/mm²	UNE-EN ISO 10545-4:2012
Crazing resistance	Pass (Except metallic finishes)	UNE-EN ISO 10545-11:1997
Household products resistance	GA	UNE-EN ISO 10545-13:1998
Chemical resistance	GHA (Except metallic finishes)	UNE-EN ISO 10545-13:1998
Stain resistance	Class 5	UNE-EN ISO 10545-14:1998

05. TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS

FEZ



ROUNDED EDGE FEZ



06. PACKING

Model	Size (in)	Pieces/box	lb/box	sq ft/box	Box/pallet	sq ft/pallet
Fez	2.5″x5″	62	18.19 lb	5.210 sq ft	102	531.42 sq ft
Rounded Edge	0.43″x5″	40	1.32 lb	16.27 ft	350	3,254.59 ft

Modelo Model	**Tamaño (cm)** Size (cm)	**Piezas/caja** Pieces/box	**Kg/caja** kg/box	**m²/caja** m²/box	**Cajas/palet** Box/pallet	**m²/palet** m²/pallet
Fez	6,2x12,5 cm	62	8,25 kg	0,484 m²	102	49,37 m²
Rounded Edge	1,1x12,5 cm	40	0,601 kg	4,960 m	200	992 m

07. PRICE CODE / CÓDIGO DE TARIFA

W21	W36	WS3
Fez	Fez Steel & Copper	Fez Bullnose

Polígono Pont, Avda. de España 114
12180 Cabanes,
Castellón (Spain)
t. +34 964 331 910 / f. +34 964 331 911

wowdesigneu.com
comercial@wowdesigneu.com

©2021 Tendencias Cerámicas
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

©2021 Tendencias Cerámicas
WOW, marca registrada por Tendencias Cerámicas, S.L.

La utlización de la marca o la reproducción del contenido de este catálogo está protegida por la Ley de Propiedad Intelectual. Cualquier uso de la marca o la reproducción del mismo, en parte o en su totalidad, debe ser autorizada por Tendencias Cerámicas, S.L., pudiendo, en caso contrario, ser esta acción sancionada de acuerdo con la Ley.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colour of the pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes.
In real situations in wich the pieces are laid, the installation instructions published by WOW should be followed.

WOW se reserva el derecho de modificar y/o suprimir ciertos modelos expuestos en este catálogo sin previo aviso.
Los colores de las piezas pueden presentar ligeras diferencias respecto a las originales.
Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario,
debiéndose utilizar en la instalación real las instrucciones de colocación editadas por WOW.

Designed by

WOW

WOW

wowdesigneu.com