

HANDCRAFTED IN SOUTHERN CALIFORNIA SINCE 1966

GLAZED BRICK COLLECTION

Glazed Red Body - 5/8" Thick Veneer

ARTO is known for making rustically elegant, handcrafted ceramic and concrete tiles, bricks, and pavers. Our products are made with locally sourced materials at our Southern California factory. Arto products are available globally through our network of distributors and retailers.





ARTO's Glazed Brick Veneer is a versatile and durable option for any project. At 5/8" thick, it provides a substantial feel while still being easy to work with. With 46 different glaze colors available, there's sure to be an option that fits your design needs. But if you're in a rush, ARTO offers 6 quick ship colors that can be shipped out quickly so you can get started on your project right away.

Whether you're looking for a classic brick look or something more modern, ARTO's Glazed Brick Veneer is a great choice. Its high-quality construction ensures that it will hold up over time, while its range of colors and finishes allows for endless design possibilities.





















Walls

Floor

Freeze/Thaw Rated

Indoor

Outdoor

Pedestrian

Vehicular

QUICKSHIP GLAZE COLORS



Quickship Glaze Colors from left to right:

Pure White - Gloss, Snowflake - Satin, Champagne - Gloss, Rhino - Matte, Oxford Blue - Gloss, Abyss - Satin

STANDARD GLAZE COLORS



GLAZED BRICK SPECIFICATIONS

| Glazed Brick | Item Number | Item Name | Nominal Size (Inches) | Thickness (Inches) | Coverage Pieces/SQFT | Weight (lb) Per Piece | Pieces Per Box | Boxes Per Pallet |
|--------------|-----------------------|--------------------------|--------------------------|-----------------------|-------------------------|--------------------------|-------------------|---------------------|
| | GLAZEDBRICK-2X8 | 2x8 Glazed Brick | 2 1/4 x 7 5/8 | 5/8 | 6.86 | 1 | 60 | 45 |
| | GLAZEDBRICKCORNER-2x8 | 2x8 Glazed Brick Corner | 2 1/4 x7 1/4 x 3 5/8 | 5/8 | - | 1.2 | 24 | 45 |
| | GROOVEGLAZEDBRICK-2X8 | 2X8 Grooved Glazed Brick | 2 1/4 x 7 5/8 | 5/8 | 6.86 | 1 | 60 | 45 |

CSI Specification



09 30 13 Ceramic Tiling

Ceramic Test Data

- ASTM C650-20: Chemical Resistance
 ASTM C373: Absorption
 ASTM C482: Bond Strength
 ASTM C648: Breaking Load

