




OXID

CONTEMPORARY SURFACES

COMPACT



COLLECTION CATALOGUE

unicomstarker®



CONTEMPORARY SURFACES

**OXID**

COLLECTION



**unicomstarker®**


INDUSTRIALE, METROPOLITANO, OXID SI ISPIRA ALLE  
OSSIDAZIONI DEL METALLO DEFINENDO 5 COLORI:  
DAL NERO AL BIANCO, DAL CORTEN AL VERDE,  
PASSANDO PER L'INTRAMONTABILE SILVER.  
IL GRES EFFETTO METALLO PER LA SUA CARATTERISTICA  
CANGIANTE DONA PARTICOLARI EFFETTI SCENOGRAFICI  
SIA A LOCATION PUBBLICHE CHE ALL'INTIMITÀ DI CASE  
PRIVATE.

INDUSTIAL, METROPOLITAN. THE OXID RANGE IS INSPIRED  
BY THE OXIDATION OF STEEL AVAILABLE IN 5 DEFINING  
COLOURS; BLACK TO WHITE, CORTEN TO GREEN THROUGH  
TO TIMELESS SILVER. THIS METALLIC EFFECT STONEWARE,  
WITH ITS IRIDESCENT CHARACTERISTICS WILL COMPLIMENT  
BOTH PUBLIC SPACES AND PRIVATE HOMES EQUALLY.



**OXID**

COLLECTION



# OXID

## COLLECTION

### **produzione - production**

industriale - industrial

### **spessore - thickness**


9.5 mm

### **usi - use**

interni residenziali, bagni o locali commerciali e spazi pubblici  
housing environments, bathrooms or refined commercial locations as well as public spaces.

### **formati - sizes**

**119,5x119,5** - 60x119,5 - 60x60 - 30x60 - 15x60 - 7,4x30



### **decori - decoration**

mosaico - hexagon

### **complementary pieces**

battiscopa smaltato - gradino - gradone - gradone angolare - elemento a L



6

UNICOMSTARKER  
CONTEMPORARY SURFACES





# SILVER

8

UNICOMSTARKER  
CONTEMPORARY SURFACES



**SILVER**

floor: 60x119,5 \_ 24"x48"

countertop: WOODEN OLIVE 20x120 \_ 8"x48"

**10**

UNICOMSTARKER  
CONTEMPORARY SURFACES



**SILVER**

60x60 \_ 24"x24"



**SILVER**  
60x60 \_ 24"x24"

12

UNICOMSTARKE  
CONTEMPORARY SURFACES



**SILVER**

floor: 60x60 \_ 24"x24"

wall: 7,4x30 \_ 3"x12"



OXID 13

**SILVER**

7,4x30 \_ 3"x12"

**14**

UNICOMSTARKER  
CONTEMPORARY SURFACES

**LAVA**






**LAVA**

floor: 60x60 \_ 24"x24"

**TITANIUM**

wall: hexagon 25x34 \_ 10"x13"



OXID 17

**LAVA**

60x119,5 \_ 24"x48"

18


UNICOMSTARKER  
CONTEMPORARY SURFACES



LAVA

60x119,5 \_ 24"x48"





**LAVA**

wall: 60x119,5 \_ 24"x48"

floor: 60x119,5 \_ 24"x48"





# IRON

**24**

UNICOMSTARKER  
CONTEMPORARY SURFACES



**IRON**

60x60 \_ 24"x24"





**IRON**

15x60 - 30x60 \_ 6"x24" - 12"x24"

**IRON**

60x119,5 \_ 24"x48"

28

UNICOMSTARKER  
CONTEMPORARY SURFACES



**IRON**

floor: 60x119,5 \_ 24"x48"

wall: hexagon 25x34 \_ 10"x13"



**IRON**

hexagon 25x34 \_ 10"x13"

**30**

UNICOMSTARKER  
CONTEMPORARY SURFACES

# TITANIUM





**32**

UNICOMSTARKER  
CONTEMPORARY SURFACES





**TITANIUM**

|| 19.5x119.5 \_ 48"x48"

**34**

UNICOMSTARKER  
CONTEMPORARY SURFACES



**TITANIUM**

floor: 60x60 \_ 24"x24"

**SILVER**

wall: 15x60 - 30x60 \_ 6"x24" - 12"x24"



**SILVER**

15x60 - 30x60 - 6"x24" - 12"x24"

**36**

UNICOMSTARKER  
CONTEMPORARY SURFACES



**TITANIUM**

119.5x119.5 \_ 48"x48"

**TITANIUM**

| 19.5x19.5 \_ 24"x24"





# EMERALD

Smile eat



Laugh



EMERALD

60x119,5 \_ 24"x48"

**EMERALD**

floor: 60x119,5 \_ 24"x48"

**TITANIUM**

wall: 7,4x30 \_ 3"x12"



**EMERALD**  
60x119,5 \_ 24"x48"

**EMERALD**

wall: 7,4x30 \_ 3"x12"

floor: 60x60 \_ 24"x24"

**EMERALD**

wall: 15x60 - 30x60 \_ 6"x24" - 12"x24"

**IRON**


wall: 60x119,5 \_ 24"x48"

floor: 60x60 \_ 24"x24"

SILVER




LAVA




IRON



TITANIUM



EMERALD



**48**

UNICOMSTARKER  
CONTEMPORARY SURFACES

**OXID**

COLLECTION



**SILVER**

**OXID 49**

L  
A  
V  
A





**OXID** 51

**I R O N**

T I T A N I U M






**E M E R A L D**

**OXID** 53

## TECHNICAL INFORMATION & PLUS

### FORMATI - SIZES



RETTIFICATO

$$\frac{119,5 \times 119,5}{48'' \times 48''}$$

79



RETTIFICATO

$$\frac{60 \times 119,5}{24'' \times 48''}$$

66



RETTIFICATO | GRIP

$$\frac{60 \times 60}{24'' \times 24''}$$

54 55



RETTIFICATO

$$\frac{30 \times 60}{12'' \times 24''}$$

51



RETTIFICATO

$$\frac{15 \times 60}{6'' \times 24''}$$


66



RETTIFICATO

$$\frac{7,4 \times 30}{215/16'' \times 12''}$$

65



MOSAICO

$$\frac{30 \times 30}{12'' \times 12''}$$

115




HEXAGON

$$\frac{25 \times 34}{10'' \times 13''}$$


34

### PEZZI SPECIALI - SPECIAL ITEMS




$$\frac{30 \times 60}{12'' \times 24''}$$
GRADINO  
RETTIFICATO

33




$$\frac{30 \times 60 \times 4}{12'' \times 24'' \times 12/3''}$$
GRADONE  
COSTA RETTA  
RETTIFICATO

115



$$\frac{30 \times 30 \times 4}{12'' \times 12'' \times 12/3''}$$
GRADONE ANGOLARE  
COSTA RETTA DX - SX  
RETTIFICATO

118



$$\frac{30 \times 60 \times 5}{12'' \times 24'' \times 2''}$$
ELEMENTO A L  
RETTIFICATO

49



$$\frac{7 \times 60}{23/4'' \times 24''}$$
BATTISCOPA  
SMALTATO  
RETTIFICATO

15

RETTIFICATO | GRIP

34

RETTIFICATO | GRIP

116












RETTIFICATO | GRIP

119

RETTIFICATO | GRIP

50

## CARATTERISTICHE TECNICHE - TECHNICAL FEATURES

	standards	characteristics or properties	declared values
	ISO 10545-3	assorbimento d'acqua water absorption	< 0.5%
	ISO 10545-4	resistenza alla flessione (R) breaking strength	35 N/mm <sup>2</sup>
	ISO 10545-13	resistenza agli acidi resistance to acid	GLA
	ISO 10545-12	resistenza al gelo frost resistance	resiste frost proof
	ISO 10545-14	resistenza alle macchie stain resistance	4
	ISO 10545-2	ortogonalità orthogonality	± 0.6%
	ISO 10545-2	planarità surface flatness	± 0.5%
	ISO 10545-2	spessore thickness	9,5 mm
<b>NATURALE</b> 	DIN51097 DIN51130 ANSI A 137.1 DCOF BOT 3000 E	coefficiente d'attrito (scivolosità) dynamic coefficient of friction (slipperiness)	A+B R10 > 0.42
<b>GRIP</b> 	DIN51097 DIN51130 ANSI A 137.1 DCOF BOT 3000 E	coefficiente d'attrito (scivolosità) dynamic coefficient of friction (slipperiness)	A+B+C R11 > 0.42
		variazioni cromatiche color shade	V2 variazione leggera V2 slight variation

## IMBALLI - PACKING

cm	inch		spessore thickness	pezzi/sc pcs/box	m <sup>2</sup> /sc sqm/box	kg/sc kgs/box	sc/pl box/pal	m <sup>2</sup> /pl sqm/pal	kg/pl kgs/pal
119.5x119.5	48"x48"	rettificato	9,5	2	2.86	58.33	22	62.92	1283.26
60x119.5	24"x48"	rettificato	9,5	2	1.43	30.20	30	43.02	906.00
60x60	24"x24"	rettificato   grip	9,5	3	1.08	22.20	40	43.20	888.00
30x60	12"x24"	rettificato	9,5	6	1.08	22.20	48	51.84	1065.60
15x60	6"x24"	rettificato	9,5	12	1.08	21.80	48	51.84	1046.40
7,4x30	3"x12"	rettificato	9,5	40	0.89	19.20	60	53.28	1152.00
30x30	12"x12"	mosaico		11	0.99	18.00	36	35.64	648.00
25x34	10"x13"	hexagon		6		13.20			
7x60	2 3/4" x24"	battiscopa smaltato rettificato		12		9.96			
30x60	12"x24"	gradino rettificato   grip				31.20			
30x60	12"x24"	gradone costa retta rettificato   grip				17.20			
30x30	12"x12"	gradone ang costa retta rett. dx/sx   grip				4.30			
30x60	12"x24"	elemento a L   grip				17.20			

**UNICOMSTARKER OXID COLLECTION  
IS A UNICOMSTARKER'S PROJECT**

## **CONTACTS**

### **UNICOM SRL**

via flumendosa 7  
41042 fiorano modenese  
modena italy  
T +39 (0)536 926011  
F italy +39 (0)536 926038  
F world +39 (0)536 926033  
F europe +39 (0)536 926023  
unicomstarker.com

### **UNICOMSTARKER SHOWROOM**

via flumendosa 7  
41042 fiorano modenese  
modena italy  
T +39 (0)536 926011



**Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori, colori, imballi e dimensioni.**

The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes

Le contenu de notre catalogue concernant les decors, coloris, graphiques, emballage et dimensions est indicatif.

Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Dekorationen, Farben, Verpackung und Abmessungen.





think  
outside  
the box

